

4SCU14LE

Up to 16 SEER,
Single-Stage
Air Conditioners



COOLING TECHNOLOGY THAT MEETS EXACTING ARMSTRONG AIR™ STANDARDS—AND THE EXPECTATIONS—OF HVAC PROFESSIONALS.

THE PROFESSIONAL'S CHOICE



 **ARMSTRONG**
AIR
The Professional's Choice


All models are compliant with latest regional standards.

A close-up photograph of a white Armstrong Air 4SCU14LE air conditioner unit. The unit features a prominent grille with a repeating pattern of slanted rectangular openings. A small, dark, oval-shaped badge is affixed to the grille, displaying the Armstrong Air logo, which includes a stylized house icon and the text 'ARMSTRONG AIR'. The background is a soft-focus outdoor scene with green foliage and a light sky.

For efficient cooling
and quieter operation,
HVAC professionals
count on the 4SCU14LE
air conditioner.

You don't build an 80-year history without having strong products and an even stronger commitment to excellence. The Armstrong Air™ **4SCU14LE** is the perfect example of what happens when you set out to exceed expectations. **It's quiet. It's energy efficient. And it's made with pride** by people who know quality. No wonder it's the premium choice of HVAC professionals throughout North America.

Inside the design of an Armstrong Air **4SCU14LE** air conditioner:



MHT™ Technology:

Armstrong Air's proprietary heat transfer system. A specially designed fan shroud pulls air evenly throughout the air conditioner's coil surface. The coil features rifled tubing to enhance refrigerant flow, while lanced coil fins increase surface contact between metal and air. All combine for maximum heat transfer and efficiency.

Sound Reduction:

Inside every **4SCU14LE**, you'll find a compressor that's wrapped in a heavy-duty, sound-insulating blanket to reduce operating noise. So you'll enjoy peace and quiet with your comfort.

Integrated Compressor Protection:

High- and low-pressure switches give additional reliability to each Armstrong Air air conditioner. The high-pressure switch prevents operation if refrigerant pressures exceed safe levels, protecting the compressor. If your unit does not have enough refrigerant, the low-pressure switch prevents the unit from drawing in moisture and other contaminants while operating.

Single-Stage Scroll Compressor:

A time-proven design chosen for its consistent performance, incredible durability and long operating life, the single-stage scroll compressor works hard year after year.

Microban® Protection:

On Matched Armstrong Air Indoor Coil. Drain pans are infused with an antimicrobial agent that destabilizes the membrane of microorganism cells, disrupting the cellular function of odor-causing mold and bacteria so they can no longer grow or reproduce.

Sealed Contactor with Lugs:

Completely covers the contactor, protecting it from debris and insects.

The advanced features of the Armstrong Air **4SCU14LE** work together to bring you:

CRAFTSMANSHIP

The **4SCU14LE** includes **thoughtfully designed features** like MHT Technology, a special tubing design that increases surface contact between metal and air for **better heat transfer**. It also uses a hardworking single-stage scroll compressor for long life.

EFFICIENCY

With an up to 16.00 SEER* efficiency rating, the **4SCU14LE** can help lower your energy usage and save you big on annual utility costs compared to an older system. (See back cover for an estimate of annual energy savings.)

COMMITMENT

Armstrong Air's dedication to a better product is backed by a 10-Year Limited Warranty on the compressor and a 10-Year Limited Warranty on parts.**

The 4SCU14LE is an exceptional example of efficiency, quality and quiet operation.

PRECISE PERFORMANCE

The 4SCU14LE uses MHT™ Technology for more efficient heat transfer, and also includes high- and low-pressure switches that protect crucial compressor components from damage if the system pressure gets too high or too low.

A heavy-duty sound blanket reduces operating noise for a peaceful outdoor environment and a sealed contactor lug protects the 4SCU14LE's internal components from moisture, bugs and debris.

EFFICIENCY

When paired with matching equipment, the 4SCU14LE delivers an up to 16.00 SEER* rating which can result in up to 38% savings*** on utility bills. MHT Technology with lanced fin and rifled tube construction also improves heat transfer for enhanced energy efficiency that can save additional dollars in utility costs every month.

5-YEAR ENERGY SAVINGS***



Savings versus 10.00 SEER units



To gain the maximum energy efficiency of this air conditioner, pair it with a variable-speed or constant torque furnace or air handler.

*Due to Allied Air's ongoing commitment to quality, all specifications, ratings and dimensions are subject to changes without notice. Consult AHRI database for the latest performance ratings.

**Warranty applies to residential applications only. For terms, conditions and exclusions, see full warranty at alliedair.com.

***Data Source: Energy Efficiency and Renewable Energy Network, U.S. Department of Energy. Calculations are based on every \$100 spent to cool a home using a 3-ton, 10-SEER unit. Fuel rates and heating hours are based on the U.S. national average for fuel and electricity consumption. Actual costs and savings will vary depending on weather conditions, usage, location and local utility rates. This information is intended as an example for comparison purposes only.

The Armstrong Air™ 4SCU14LE. A standout performer, and a smart decision.

The 4SCU14LE brings a lot to the comfort of your home. Quieter operation means a more peaceful environment, while efficiency enhancing features can mean energy savings of several hundred dollars per year. It's the right choice for your home. And it's **THE PROFESSIONAL'S CHOICE.**



**ARMSTRONG
AIR**
The Professional's Choice

Due to our policy of continuous improvement, specifications are subject to change without notice.

Printed in U.S.A.
©2015 Allied Air Enterprises LLC,
a Lennox International Inc. Company

Form No. A4SCU14LE-300 (02/15) PC80727



Not approved for use in mobile home applications.